

# Naturinform

A wooden birdhouse with a gabled roof and a central entrance hole is mounted on a dark grey, horizontally-slatted fence. The birdhouse has a light-colored wood finish and a decorative pattern on its sides. To the left of the birdhouse, a tree trunk with green and brown leaves is visible. The background shows a dark grey fence and various green plants and flowers, including a purple one on the right. The overall scene is outdoors and well-lit.

Fence systems  
Privacy shield and  
noise protection

[naturinform.com](http://naturinform.com)



effective and  
modular

# For more privacy

---

Enjoy your favourite spot with easy-care and 100 % recyclable privacy and soundproof fences made from WPC by NaturinForm.



## Easy installation

Our WPC fences are easy to assemble. The slats that create privacy, are tongue-groove-profiles that can simply be fixed onto each other, meaning that the height and width is very adaptable. The premium WPC panels are available in 1,75 m and in 4 m lengths. The posts can be installed directly into concrete or bolted onto ground anchors.



## Modular System

Our privacy and noise protection solutions combine functionality with design. Thanks to the modular construction, diverse decorative elements, and flexible corner options - with or without noise protection - these fences adapt fully to your personal requirements. Installation directly to walls, gabions and wood is facilitated with the Side Panel made of aluminium.



## Tested Sound insulation\*

Flexible provides noise insulation of 26dB (R=26 dB corresponds to category B3 for airborne sound reduction according to the German standard DIN EN 1793-2).



## Resists wind loads

Both the Flexible and the Effective have passed wind load testing according to DIN EN 1794-1 :2011.

---

# Effective



Posts in Brown, Area set in Chestnut Brown,  
Additional accessories: Window module in stainless steel

## Privacy shield

<b>Format posts</b>	to be embedded in concrete: ca. 245 cm for bolting: ca. 195 cm
<b>Ground posts</b>	for embedding in concrete or for bolting
<b>Corner posts</b>	to be embedded in concrete
<b>Material</b>	aluminium posts
<b>Posts colours</b>	Brown, Anthracite
<b>Final format fence</b>	height from the ground ca. 180 cm, width ca. 178 cm (dimension centre distance of post)
<b>Inner elements</b>	width ca. 180 mm, height ca. 175 mm
<b>Area set</b>	WPC slats, unbrushed

# Flexible



Posts in Anthracite, Area set in Titanium Grey,  
Additional accessories: Window module in Acryl

## Privacy shield and noise protection

<b>Format posts</b>	to be embedded in concrete: ca. 245 cm for bolting: ca. 195 cm
<b>Material</b>	aluminium posts
<b>Noise protection</b>	corresponds to category B3 of noise protection
<b>Posts colours</b>	Brown, Anthracite
<b>Final format fence</b>	height from the ground ca. 180 cm, width ca. 180 cm (dimension centre distance of post)
<b>Inner elements</b>	Höhe ca. 180 cm, Breite ca. 175 cm
<b>Area set</b>	WPC slats, unbrushed




Scan &  
discover  
impressions  
of the product  
*Effective*



Scan &  
discover  
impressions  
of the product  
*Flexible*

# Choose colour- matching aluminium posts and design and installation accessories from NaturinForm to go with the high-quality WPC fence slats.



Post *Flexible*  
in Brown



Post *Flexible*  
in Anthracite



Ground post *Effective*  
in Brown und Anthracite



Corner post *Effective*  
in Brown und Anthracite



Slat  
in all colours



Top slat  
in all colours



Window module Acryl  
+ adapter profile



Window module stainless stalle  
+ adapter profile



Substructure rail



Ground anchor *Effective*



Wind anchor *Effective*



Side panel



Area set Titanium Grey  
(monochrome)



Area set Anthracite  
(monochrome)



Area set Chestnut Brown  
(multicoloured)

# Natur inForm

---

NaturinForm GmbH  
Flurstraße 7, 96257 Redwitz a. d. Rodach  
Tel +49 (0) 9574 65473-0  
Fax +49 (0) 9574 65473-20  
[info@naturinform.com](mailto:info@naturinform.com)  
[www.naturinform.com](http://www.naturinform.com)

This brochure was prepared with the utmost care and it is being constantly updated. The print quality may vary. Current and valid versions can be found at [www.naturinform.com](http://www.naturinform.com).

Stand: 24.11.2025